COMMERCIAL
2012

smeg
technology with style
COMMERCIAL

SMEG

SMEG

Smeg is Italy's largest, privately-owned domestic kitchen appliance manufacturer, renowned worldwide for its innovation, architectural style and superb engineering.

Founded by the Bertazzoni family in the 1940s, Smeg remains a family-run business under the leadership of Dr Roberto Bertazzoni, whose foresight secured the talents of world-renowned architects such as Mario Bellini, Guido Canali and Renzo Piano and, more recently, the Australian style guru, Marc Newson.

Smeg retains its leading edge in the worldwide market through a total dedication to the design and manufacture of specialist appliances — hence the multi-mullion dollar investments in totally separate R&D and manufacturing facilities for ovens and cooktops, dishwashers, rangehoods, sinks and refrigerators.

Smeg has been a premium brand in Australia for the past 30 years and is a leading brand in Europe, UK, South Africa, New Zealand and, more recently, USA. Smeg will always be a favourable consideration to the purchaser.

"The kitchen, heart of the home, has certainly changed a lot in the past 150 years, and even in the past 10. Many of these changes are due to advancements in technology , but … it's also reflective of wider social changes. …I think in Australia, people used to hide the kitchen. You didn't want to eat in the kitchen; it was a place that was only functional, not very beautiful. Today, people tend to show the kitchen, are very proud of the kitchen — this is my kitchen, this is my stove, my fridge; let's eat here, it's more practical".

Vittorio Bertazzoni, CEO Smeg

Smeg introduced the first architecturally-designed stainless steel appliances into Australia, along with being featured in some of Australia's most iconic buildings. Smeg appliances have an impeccable reputation amongst Australia's leading builders and developers.

Smeg's commercial range means that we are able to support a project from design stage to occupancy and beyond, in the process serving the needs of architects, developers, builders, selling agents and consumers.

We have successfully completed many highrise residential projects, working alongside our clients to share our expertise and to function as an integral part of their team.



Classic range	8
Linear range	18
Newson range	24
rangehoods	30
dishwashers	34
sinks	42
mixer taps	50

www.smeg.com.au

CLASSIC RANGE

EXCLUSIVE TO COMMERCIAL CUSTOMERS

SA561X-9
60cm electric oven

finish	satin stainless steel, fingerprint proof
size	597mmH x 597mmW x 566mmD
capacity	70 litre
installation	flush fitment, underbench or wallmount
cooking levels	four shelf heights plus recessed floor for pizza stone
multifunction	nine functions
semi automatic	90-minute maximum variable countdown stop cook, manual cooking selection
cleaning	Vapour Clean
lighting	automatic, one side-mounted 25W, incandescent
furniture	smeg Ever-Clean enamel — • 40mmH grill-bake-roast tray • one shelf

EXCLUSIVE TO COMMERCIAL CUSTOMERS

SA578X-9
60cm electric oven

finish	satin stainless steel, fingerprint proof
size	597mmH x 597mmW x 566mmD
capacity	70 litre
installation	flush fitment, underbench or wallmount
cooking levels	four shelf heights plus recessed floor for pizza stone
multifunction	nine functions
fully automatic	digital clock, time of day, full auto cooking, semi-auto cooking, manual cooking, independent minute minder for simultaneous operation
cleaning	Vapour Clean
lighting	automatic, one side-mounted 25W, incandescent
furniture	smeg Ever-Clean enamel — • 40mmH grill-bake-roast tray • chromed grill insert • one shelf • roof liner

ALSO AVAILABLE IN PYROLYTIC MODEL SAP578X-9

EXCLUSIVE TO COMMERCIAL CUSTOMERS

SA990XR-8
90cm electric oven

finish	satin stainless steel
size	size896mmW x 480mmH x 566mmD
capacity	92 litres
installation	underbench or wallmount
thermostat	variable 0-250°C variable
multifunction	five cooking functions
fully programmable	24-hour digital, time of day, fully automatic, semi automatic, minute minder, manual override
cavity cooling	independent self-cooling carcase fan
furniture	2 x roast/grill tray, 2 x chrome shelf
safety	thermal overload protection, safety-notched furniture, double-glazed door, forced air door cooling, thermo-reflective panes

supercook

fan forced

fan assisted

convection

fan grill

static grill

base heat

defrost

vapour clean

SA561X-9 | SA578X-9



SA990XR-8



fan forced

fan assisted

convection

fan grill

static grill

base heat

CLASSIC RANGE

SA304X-8
60cm electric oven

finish	satin stainless steel, fingerprint proof
size	597mmH x 597mmW x 566mmD
capacity	70 litre
installation	flush fitment, underbench or wallmount
cooking levels	four shelf heights plus recess for pizza stone
multifunction	seven cooking functions,defrost selection
cleaning	Vapour Clean selection
	90-minute maximum variable countdown stop cook, manual cooking selection
lighting	automatic, one side-mounted 25W, incandescent
furniture	smeg Ever-Clean enamel —

- 40mmH grill-bake-roast tray
- removable roof liner
- chromed grill insert
- 2 x shelf
- pair chrome safety-grip handles

ALSO AVAILABLE IN PYROLYTIC MODEL
SAP306X-8

SA306X-8
60cm electric oven

finish	satin stainless steel, fingerprint proof
size	597mmH x 597mmW x 566mmD
capacity	70 litre
installation	flush fitment, underbench or wallmount
cooking levels	four shelf heights plus recess for pizza stone
multifunction	seven cooking functions,defrost selection
programmability	digital clock, time of day, full auto cooking, semi-auto cooking, manual cooking, independent minute minder for simultaneous operation
cleaning	Vapour Clean selection, smeg Ever-Clean enamelling
lighting	automatic, one side-mounted 25W, incandescent
furniture	smeg Ever-Clean enamel —

- 40mmH grill-bake-roast tray
- removable roof liner
- chromed grill insert
- 2 x shelf
- pair safety-grip tray handles

ALSO AVAILABLE IN PYROLYTIC MODEL
SAP399X-8

SAC399X-8
60cm electric oven

finish	satin stainless steel, fingerprint proof
size	597mmH x 597mmW x 566mmD
capacity	79 litre
installation	flush fitment, underbench or wallmount
cooking levels	five shelf heights, plus recessed floor for pizza stone
multifunction	nine cooking functions, defrost selection
programmability	analogue digital clock, time of day, full auto cooking, semi-auto cooking, manual cooking, independent minute minder for simultaneous operation
cleaning	Vapour Clean selection, smeg Ever-Clean enamelling
lighting	automatic, two — opposite sides and staggered heights, 40 watt halogen
furniture	smeg Ever-Clean enamel —

- 40mmH grill-bake-roast tray
- one shelf
- removable roof liner
- chromed grill insert
- one shelf pair safety-grip tray handles



SA304X-8





SA306X-8





SAC399X-8



CLASSIC RANGE

SCA706X
70cm electric oven

finish	satin stainless steel, fingerprint proof
size	597mmH x 698mmW x 566mmD
capacity	92 litre
installation	underbench or wall (column) fascia: flushmount
thermostat	variable 50–250°C
multifunction	five cooking functions plus defrost
fully automatic	24-hour digital — time of day, fully automatic, semi automatic, minute minder, manual override
cavity cooling	independent self-cooling carcase fan
furniture	2 x chrome shelves 3 x 20mm baking trays 1 x grill insert 1 x pair safety-grip handles
interior enamel	Ever-Clean
safety	thermal overload protection safety-notched furniture triple-glazed door forced-air door cooling

CIR574X
70cm gas cooktop

finish	satin stainless steel, cast-iron trivets
size	685mmW x 60mmH x 500mmD
capacity	38mj/hour max over four burners — ultra rapid triple burner (15mj/hr) rapid (12.2mj/hr) semi rapid (6mj/hr) auxiliary (4.8mj/hr)
installation	topmount
ignition	automatic electronic
safety	flame failure device fitted to each burner
gas input	set for natural gas: regulator supplied adaptable for ULPG: no regulator required • ½" BSP gas inlet connection • gas connection located right-hand rear corner • ½" BSP 1.0 kPa natural gas regulator is supplied with natural gas hobs
power cord	1.3 metre length connected, suitable for standard 10 amp GPO
accessories supplied	two cast-iron, heavy-duty trivets for full hob cover, wok stand clips, seal, instructions for installation, operation and maintenance



SCA706X



CIR574X



CLASSIC RANGE

EXCLUSIVE TO COMMERCIAL CUSTOMERS

CIR66X
60cm gas cooktop

finish	satin stainless steel
size	500mmD x 585mmW x 45mmH
installation	built-in one-piece hob, suits 60cm cabinet
capacity	31.6mj/hour max over four burners • 1x ultra-rapid burner (wok) 15 mj/hr • 2x semi-rapid burner 5.9 mj/hr • 1x auxiliary burner 4.8 mj/hr
ignition	automatic electronic
gas input	set for natural gas — regulator supplied
accessories	adaptable for ULPG — no regulator required

NB: flame failure device available, model CIR66XS

EXCLUSIVE TO COMMERCIAL CUSTOMERS



SA611XC
60cm ceramic electric cooktop

finishes	black ceramic surface,straight edging
size	520mmD x 590mmW x 40mmH
installation	built-in one-piece hob
capacity	four zones —
thermostat	2 x 1800W, 180mm diameter 2 x 1200W, 145mm diameter 9 heat settings per zone lock 'on'
safety	four residual heat indicators power ON indicator

EXCLUSIVE TO COMMERCIAL CUSTOMERS

CIR93AXS
90cm gas cooktop

finish	stainless steel, cast-iron trivets
size	860mmW x 40mmH x 500mmD
capacity	48.7mj/hour max over five burners — ultra rapid triple burner (15mj/hr), rapid (11.5mj/hr), rectangular (11.4mj/hr,semi rapid (6mj/hr),auxiliary (4.8mj/hr)
installation	topmount
ignition	automatic electronic
gas input	set for natural gas: regulator supplied | adaptable for ULPG: no regulator required
accessories	three cast-iron trivets for full hob cover, wok stand, pot rest
package dimensions	930mm x 550mm x 120mm
weight	20.1kg net | 21.3kg gross
safety	flame failure device fitted as standard

EXCLUSIVE TO COMMERCIAL CUSTOMERS



PIP264B

PIP264W

PIP264
60cm induction cooktop

finish	black or white ceramic surface, frameless straight edging
cutout	built-in hob, topmount
size	560mmW x 490mmD 590mmW x 520mmD x 4mmH ceramic surface
capacity	four zones — front left: 190mm, 1400W | boost 2000W rear left: 170mm, 1400W front right: 155mm, 1400W rear right: 220mm, 2300W | boost 3000W
max power	7100 watts
thermostat	nine heat settings per zone
current	31 amp, must be hard wired
timers	4 timers, simultaneous or separate operation, independent egg timer
controls	touch control
safety	pan detection, automatic cut-off, touch-control lock, residual heat indicators, automatic spillage stop
pan size	automatic pan size recognition
warranty	two years parts and labour

CIR66X



SA611XC



CIR93AXS



PIP264



CLASSIC RANGE

SA9010X

90cm upright cooker

EXCLUSIVE TO COMMERCIAL CUSTOMERS

bakers function

classic convection

defrost

fan forced

fan grill

static grill

OVEN

121 litre oven
five cooking functions plus defrost
twin fan forced — 2 x 2000 watt rear wall elements
countdown stop-cook timer
double glazed door, thermo-reflective glazing
forced air door cooling — cool operating
easy cleaning oven enamelling — AA anti-acid
safety-notch trays and shelves
insulated control panel dials and door handle

HOB

spacious five-burner hob, 43.3mj/hour maximum
automatic electronic flame ignition
ultra-rapid triple-crown all-purpose burner (wok)
large rapid and two semi-rapid burners
low-simmer auxiliary burner
three heavy-duty cast-iron trivets
single-pressed stainless steel hob with rolled edging
no metal joins eliminates difficult grime accumulation
satin polish — resistant wearing — maintains quality finish
set for natural gas — regulator supplied
ULPG adaptable — no regulator supplied
60mm-high splash guard supplied — optional fitment
burner skirts and cast-iron burner caps removable for easy maintenance





SA9066CER

90cm upright cooker

EXCLUSIVE TO COMMERCIAL CUSTOMERS

bakers function

classic convection

defrost

fan forced

fan grill

static grill

OVEN

121 litre oven
five cooking functions plus defrost
twin fan forced — 2 x 2000 watt rear wall elements
countdown stop-cook timer
double glazed door, thermo-reflective glazing
forced air door cooling — cool operating
easy cleaning oven enamelling — AA anti-acid
safety-notch trays and shelves
insulated control panel dials and door handle

HOB

five cooking zones + two expansion zones
all elements 'Series 8' high speed
full heat seven seconds

- 2 x 1200W 145mm diameter zones
- 1800W, 180mm diameter zone
- 700W, 120mm diameter zone + 1400W 210mm diameter expansion zone = 2100W, 210mm diameter zone
- 1400W, 170mm diameeter zone + 265 oval extension zone = 2200W

total wattage — 8500W
current 35.42 amps
infinitely-variable heat settings
residual heat indicator lights
removable knobs for cleaning access





MICROWAVE OVENS

ALSO AVAILABLE IN BLACK FME120N

FME120X
built-in microwave oven with grill

touch control
white LED display
5 power levels
electronic timer
grill
mwo output power: 850W
20 litre capacity
stainless steel interior

SBIM30X
built-in microwave oven with grill and steam vessel

stainless steel finish
grey enamel cavity with ceramic glass base for easy cleaning
25 litre capacity
5 power levels
touch control, LED display
60 minutes digital timer | 24-hour clock
steaming vessel, includes — metal lid, plastic steam rack, metal steam diffuser, plastic base, metal grill rack
800W microwave | 950W grill
suitable to plug into standard 10 amp GPO

SA37X
microwave oven

34 litres
345mm diameter, tempered glass
10
scroll control
99 minutes timer
1000W microwave
suitable to plug into standard 10 amp GPO

SA35MX
microwave oven

34 litres
345mm diameter, tempered glass
10
touch control
99 minutes timer
1000W microwave
suitable to plug into standard 10 amp GPO

FME20X



SBIM30X



SA37X



SA35MX



TRIMKIT TO SUIT SA37X, SA35MX

PTK70X34 (for 70cm ovens)



TRIMKIT TO SUIT SA37X, SA35MX

PTK60X34



SMEG

EXCLUSIVE TO COMMERCIAL CUSTOMERS

SC106N-8
60cm electric oven

finish	black glass and satin stainless steel
size	592mmH x 597mmW x 570mmD
capacity	70 litre
installation	flush fitment, underbench or wallmount
cooking levels	four
multifunction	7 cooking functions, vapour clean selection
programmability	minute minder, end cooking, automatic switch on
cleaning	smeg Vapour Clean selection, smeg Ever-Clean enamelling
lighting	1 x 40-watt halogen
furniture	one shelf, 1 x 40mm baking dish

EXCLUSIVE TO COMMERCIAL CUSTOMERS

SC106B-8
60cm electric oven

finish	white glass and satin stainless steel
size	592mmH x 597mmW x 570mmD
capacity	70 litre
installation	flush fitment, underbench or wallmount
cooking levels	four
multifunction	7 cooking functions, vapour clean selection
programmability	minute minder, end cooking, automatic switch on
cleaning	smeg Vapour Clean selection, smeg Ever-Clean enamelling
lighting	1 x 40-watt halogen
furniture	one shelf, 1 x 40mm baking dish

EXCLUSIVE TO COMMERCIAL CUSTOMERS

SC106SG-8
60cm electric oven

finish	silver glass and satin stainless steel
size	592mmH x 597mmW x 570mmD
capacity	70 litre
installation	flush fitment, underbench or wallmount
cooking levels	four
multifunction	7 cooking functions, vapour clean selection
programmability	minute minder, end cooking, automatic switch on
cleaning	smeg Vapour Clean selection, smeg Ever-Clean enamelling
lighting	1 x 40-watt halogen
furniture	one shelf, 1 x 40mm baking dish

SC106 series

fan assisted

convection

fan grill

static grill

base heat

bakers function

ECO

vapour clean



ALSO AVAILABLE IN BLACK AND WHITE:
black — SC45VNE2
white — SC45VB2

SCA45V2

60cm compact steam oven

finish	silver glass and satin stainless steel
size	455mmH x 595mmW x 562mmD
capacity	35 litres
water tank	1.2 litres
installation	flush fitment, underbench or wallmount
cooking levels	four shelf heights
multifunction	four cooking functions
programmability	reheating and/or sterilising function
lighting	defrost function
power connection	LED display, electronic timer with end-cooking alarm
safety	automatic, 25W incandescent
lighting	10 amp, 3-pin plug
powerconnection	1.5 kW power consumption
safety	child lock

ALSO AVAILABLE IN BLACK AND WHITE:
black — SC45MCNE2
white — SC45MCB2

SCA45MC2

60cm compact microwave convection oven

finish	silver glass and satin stainless steel455mmH x
size	595mmW x 562mmD
capacity	34 litres
installation	flush fitment, underbench or wallmount
cooking levels	two shelf heights
multifunction	ten functions
programmability	defrost by weight or time LED display, electronic timer with end-cooking alarm
lighting	automatic, 10 watt halogen
power supply	15 amp, 3-pin plug
furniture	glass tray, wire shelf

ALSO AVAILABLE IN BLACK:
black — CMSC45NE

CMSC45

60cm built-in coffee machine

finish	silver glass and satin stainless steel, fingerprint proof
size	455mmH x 595mmW x 381mmD
installation	flush fitment, built-in
display	multilanguage LCD
functions	fully automatic coffee preparation (for regular or double coffee) steam function (cappuccino, latte) hot water function (tea or other hot drinks) rinsing function
programmability	5 coffee strength levels — extra light, light, medium, strong, extra strong water quantity — short/espresso, medium, long 3 x adjustable frothing nozzle for cappuccino adjustable coffee dispenser
temperature	drip tray
furniture	2 x lights
capacity	
water tank	1.8 litres
coffee bean	220 grams
pump pressure	15 bar
nominal power	1350 W
power supply	10 amp, 3-pin plug

CTA15-2

warming drawer

finish	glass and satin stainless steel, fingerprint proof double-glazed door
size	595mmW x 132mmH x 22mmD
fascia	540mmW x 136mmH x 535mmD
drawer	45kg maximum
capacity	flush fitment, underbench or wallmount
installation	suitable for fitment beneath compact or 60cm ovens
power supply	10 amp, 3-pin plug
temperature	30–75°C
timer	adjustable timer from 0–240 minutes with automatic switch-off delay timer up to 10 hours approximately

SCA45V2



SCA45MC2



CMSC45



CTA15-2



P1641X
60cm gas cooktop

finish	satin stainless steel,cast-iron trivets & burner caps
installation	built-in one-piece hob suited to stone and composite quartz-resin benches
actual size	600mmW x 510mmD x 40mmH (excluding control knob height)
cutout	555–560mmW x 478–482mmD
capacity	31.86 mj/hour max over four burners • 1 x auxiliary 3.78 mj/hr • 1 x rapid 9.18 mj/hr • 1 x semi-rapid 5.94 mj/hr • 1 x ultra rapid 12.96 mj/hr
ignition	automatic electronic
safety	flame failure device (FFD) fitted to each burner
gas input	set for natural gas — regulator supplied | adaptable for ULPG — no regulator required
accessories	Canali design control knobs
warranty	two years parts and labour

PGA64
60cm gas cooktop

finish	satin stainless steel
installation	cast-iron trivets & burner caps
actual size	built-in one-piece hob suited to stone and composite quartz-resin benches
cutout	617mmW x 509mmD x 75mmH (excluding control knob height)
capacity	592mmW x 488mmD 34.8 mj/hour max over four burners • 2 x auxiliary 3.9 mj/hr • 1 x rapid 12.0 mj/hr • 1 x ultra rapid 15.0 mj/hr
ignition	automatic electronic
safety	flame failure device (FFD) fitted to each burner
gas input	set for natural gas — regulator supplied | adaptable for ULPG — no regulator required
accessories	Canali design control knobs
warranty	two years parts and labour

P1641X



PGA64



MARC NEWSON

Australian-born designer Marc Newson's aesthetic vision and uncompromising originality have won him international acclaim. Objects designed by Newson, as well as being perfectly engineered mechanisms, created with meticulous attention to detail, appear to provoke physical reactions, making you want to look, to touch. His talent is not restricted by materials; he knows how to develop any design with simple genius — from the Lockheed Lounge, the extraordinary aluminium chaise longue, an iconic piece in the history of design, to the Spaceplane for EADS Astrium or to the complete interiors for Qantas Airway's A380 'Superjumbo' fleet.
With Smeg, Newson experiments, for the first time, with the design of domestic appliances and demonstrates, once again, that his unmistakable creations are capable of speaking to everybody and that there is no object that his talent cannot shape.

The Marc Newson for Smeg range combines Smeg's philosophy, technology with style, with the extraordinary creativity of the world-famous Australian designer. The range, including ovens and gas and induction cooktops, is characterised by a distinctive use of colour and by surfaces in enamel, stainless steel or glass. The touch-control ovens are available in a stunning array of colours, from monochromatic stainless steel, black and white glass finishes to bright shades of blue, yellow and green, while the equally striking gas cooktop range with vertical flame burners and cast-iron pan stands is offered to match. Even the induction hobs show inventive use of colour.

Not just objects — creations

"Good design has always been about creating objects that stand the test of time, that don't date … that have a sense of quality".

MARC NEWSON

MARC NEWSON

F608X

F608 60cm electric oven

available in black, white, stainless steel
6 cooking functions
minute minder with automatic switch off
tangential cooling fan
Every-Clean enamel interior
4 cooking levels
removable inner door glass
60 litres net oven capacity
single halogen light

F608N

F608B

FP610X

FP610 60cm pyrolytic electric oven

available in black, white, stainless steel, yellow
touch control, LED display
9 cooking functions
Vapour Clean
fully automatic — minute minder, automatic start, automatic end cooking
end-cooking acoustic alarm
68 litre net cooking capacity
5 cooking selvels
2 halogen lights

NB: ALSO AVAILABLE IN NON-PYROLYTIC MODEL, AS CUSTOMER ORDER ONLY

FP610N

FP610B

F608

- bakers function
- convection
- eco
- fan assisted
- fan grill
- static grill

FP610

- bakers function
- convection
- eco
- fan assisted
- fan grill
- full rotisserie
- fan forced
- supercook
- eco pyrolytic
- pyrolytic



F608 series semi-automatic

black enamel finish

white enamel finish

stainless steel finish

FP610 series pyrolytic

black glass finish



yellow enamel finish*

white glass finish

stainless steel finish

*CUSTOMER ORDER ONLY

MARC NEWSON

GAS COOKTOPS

P755AN 75cm gas cooktop, black glass

P755AB 75cm gas cooktop, white glass

P755SN 75cm gas cooktop, black enamel

P755SX 75cm gas cooktop, stainless steel

P755SB 75cm gas cooktop, white enamel

*CUSTOMER ORDER ONLY

P755SG 75cm gas cooktop, yellow enamel*



P755A

available in black, white glass
brass knobs and burner caps
75cm wide
five burners
flame failure device fitted to each burner
automatic ignition
vertical flame burners
cast-iron trivets

P755S

available in black, white, stainless steel, yellow enamel
silver knobs and burner caps
75cm wide
five burners
flame failure device fitted to each burner
automatic ignition
vertical flame burners
cast-iron trivets

*

EXCLUSIVE TO COMMERCIAL CUSTOMERS

SAH460SS-1



dimensions	162mmH x 598mmW x 304mmD closed 162mmH x 598mmW x 474mmD open NB: 262mm height when direct ducting
fascia rail	68mmH stainless steel, front recirculating 42mmH stainless steel, direct ducting
integration	fascia rail removable and replaceable for full integration
motor	60 watt
speeds	two: right-hand rocker switch
lighting	2 x LED
noise rating	38–52 dBA (full)
capacity	275m³/hr airflow
filter	2 X one piece, 3-ply aluminium — removable, washable
electricity supply	240 volt, 50Hz
electrical connection	connected 95cm power cord with 3-pin 10 amp plug
total wattage	140 watts
current	0.583 amp

NB: designed for front-recirculating, but also suitable for direct ducting

EXCLUSIVE TO COMMERCIAL CUSTOMERS

SAH490SS



dimensions	162mmH x 898mmW x 304mmD closed 162mmH x 898mmW x 474mmD open NB: 262mm height when direct ducting
fascia rail	68mmH stainless steel, front recirculating 42mmH stainless steel, direct ducting
integration	fascia rail removable and replaceable for full integration
motor	60 watt
speeds	two: right-hand rocker switch
lighting	2 x 20 watt halogen globes
noise rating	38–52 dBA (full)
capacity	275m³/hr airflow
filter	one piece, 3-ply aluminium — removable, washable
electricity supply	240 volt, 50Hz
electrical connection	connected 95cm power cord with 3-pin 10 amp plug
total wattage	140 watts
current	0.583 amp

NB: designed for front-recirculating, but also suitable for direct ducting

EXCLUSIVE TO COMMERCIAL CUSTOMERS

K24X60 | K24X90

finish	satin stainless steel
size	600mmW x 500mmD | 900mmW x 500mmD — maximum height 1140mm
installation	wall mount
motor	135 watt capacitor start, centrifugal, double impellor, two-directional air uptake
air extraction	exhaust to atmosphere or recirculate to kitchen (NB: recirculation panel supplied)
capacity	683m³/hr airflow
speeds	three plus OFF push buttons
illumination	two 40 watt SES tubular globes, separate ON/OFF button
filtration	2 x aluminium 4-ply grease filters, removable, washable
noise	44–60 dBA
ducting	150mm or 125mm diameter ducting required (NB: 150/125mm diameter adaptor supplied)
recirculation	lower chimney vented for optional recirculation, recirculation panel provided



SA950CXA

size	900mmW x 480mmD x 100mmH maximum
finish	stainless steel and 8mm glass
capacity	700m³/hr
installation	wallmount, duct direct to atmosphere or recirculate to kitchen
ducting	150mm ducting required
motor	138W centrifugal, twin impellors
illumination	2 x 2W LED
filtration	1 x stainless steel 4-ply aluminium grease filter — removable, hand wash or medium dishwasher program
noise rating	58 dBA maximum
power cable	1.6 metre connected, suits standard 10 amp GPO
voltage	22–240V
current	1.0 amps
warranty	two years parts and labour

EXCLUSIVE TO COMMERCIAL CUSTOMERS



PUM60X



dimensions	600mmW x 290mmD x 420mmH
finish	satin stainless steel
installation	concealed within cupboards or island bulkhead
motor	138 watt centrifugal, twin impellors, double-sided air uptake
capacity	450m³/hr airflow (IEC 61591)
air extraction	duct direct to atmosphere or recirculate to kitchen, 150mm ducting required
noise rating	58 dBA
extraction	direct duct to atmosphere, 150mm ducting required | recirculate to kitchen, 150mm diameter ducting required
illumination	1 X 2W LED
speeds	three
delay stop	5-minute delay stop for fan & lights
filtration	5-ply aluminium grease filter
option	activated charcoal filters, part number HA019W7S-11



PUM90X

dimensions	900mmW x 290mmD x 420mmH
finish	satin stainless steel
installation	concealed within cupboards or island bulkhead
motor	138 watt centrifugal, twin impellors, double-sided air uptake
capacity	450m³/hr airflow (IEC 61591)
air extraction	duct direct to atmosphere or recirculate to kitchen, 150mm ducting required
noise rating	58 dBA
extraction	direct duct to atmosphere, 150mm ducting required | recirculate to kitchen, 150mm diameter ducting required
illumination	2 X 2W LED
speeds	three
delay stop	5-minute delay stop for fan & lights
filtration	5-ply aluminium grease filter
option	activated charcoal filters, part number HA019W7S-11





smeg

DISHWASHERS

DWAFI152T fully-integrated dishwasher

15 placesettings
fully-integrated
TALL TANK
1–9 hour delay timer
5+4 programs
5 wash temperatures (38,45,50,65,70°C)
end-cycle acoustic indicator
auto door opening at end of cycle
3-level upper basket adjustment — EasyGlide system
lower basket completely foldable racks with glass holder
cutlery tray
grey rilson baskets
orbital wash system
upper spray arm
6 spray directions
natural condenser drying
5-stage filtration
39 dBA noise level (built-in)
water 11.6 litres
energy 1.9 kWh, 10 amps

DWAU157XT underbench dishwasher

15 placesettings
TALL TANK
stainless steel control panel and door, fingerprint proof
3-6-9 hour delay timer
5 programs
4 wash temperatures (45,50,65,70°C)
LED on/off light
end-cycle acoustic indicator
3-level upper basket adjustment — EasyGlide system
lower basket completely foldable racks with glass holder
cutlery tray
grey rilson baskets
orbital wash system
upper spray arm
6 spray directions
natural condenser drying
self-balancing hinges
5-stage filtration
43 dBA noise level (built-in)
water 11.6 litres
energy 1.9 kWh, 10 amps

DWAI152XT semi-integrated dishwasher

15 placesettings
TALL TANK
stainless steel control panel
semi-integrated
1–24 hour delay timer
5 + 4 programs
5 wash temperatures (38,45,50,65,70°C)
LED on/off light
end-cycle acoustic indicator
auto door opening at end of cycle
3-level upper basket adjustment — EasyGlide system
lower basket completely foldable racks with glass holder
cutlery tray
grey rilson baskets
orbital wash system
upper spray arm
6 spray directions
5-stage filtration
natural condenser drying
self-balancing hinges
39 dBA noise level (built-in)
water 11.6 litres
energy 1.9 kWh, 10 amps

DWAFI152T

MODEL PROGRAMS

soak
normal eco 45°
eco50°
auto 60-70°
super 70°
speedy 27 minutes
eco quick
quick intensive 65°
strong and fast

MODEL FEATURES



DWAU157XT

MODEL PROGRAMS

soak
normal eco 45
eco 50
intensive 65
ultraclean

MODEL FEATURES



DWAI152XT

MODEL PROGRAMS

soak
normal eco 45
eco 50
auto 60–70°C
super
speedy 27 minutes
eco quick
quick intensive
strong & fast

MODEL FEATURES



DISHWASHERS

DWAFI149 fully-integrated dishwasher

14 placesettings
fully-integrated
3-6-9 hour delay timer
5 programs
4 wash temperatures (45,50,65,70°C)
end-cycle acoustic indicator
3-level upper basket adjustment — EasyGlide system
lower basket double tilting rack
grey rilson baskets
orbital wash system
upper spray arm
6 spray directions
natural condenser drying
5-stage filtration
45 dBA noise level (built-in)
water 12.6 litres
energy 1.9 kWh, 10 amps

DWAU149X underbench dishwasher

14 placesettings
silver finish control panel
stainless steel door
underbench
3–6–9 hour delay timer
5 programs
4 wash temperatures (45,50,65,70°C)
LED on/off light
end-cycle acoustic indicator
3-level upper basket adjustment — EastGlide system
lower basket single tilting rack
grey rilson baskets
orbital wash system
upper spray arm
natural condenser drying
6 spray directions
5-stage filtration
45 dBA noise level (built-in)
water 12.6 litres
energy 1.9 kWh, 10 amps

DWAI149X semi-integrated dishwasher

14 placesettings
stainless steel control panel
semi-integrated
3–6–9 hour delay timer
5 programs
4 wash temperatures — 45,50,65,70°C)
LED on/off light
end-cycle acoustic indicator
3-level upper basket adjustment
lower basket single tilting rack
grey rilson baskets
orbital wash system
upper spray arm
6 spray directions
natural condenser drying
5-stage filtration
45 dBA noise level (built-in)
water 12.6 litres
energy 1.9 kWh, 10 amps

DWAFI149

MODEL PROGRAMS
soak
normal eco 45
eco 50
intensive 65
super 70

MODEL FEATURES



DWAU149X

MODEL PROGRAMS
soak
normal eco 45
eco 50
intensive 65
ultraclean

MODEL FEATURES



DWAI149X

MODEL PROGRAMS
soak
normal eco 45
eco 50
intensive 65
ultraclean

MODEL FEATURES



DISHWASHERS

STH903

12 placesettings
fully-integrated
10 wash programs
full electronic display
differential (half load) 65/35 wash, left or right
5 wash temperatures — 38°, 45°, 55°, 65°, 70° Celsius
3 rinse temperatures — ambient, 68°, 70° Celsius
2/1, 3/1, 4/1 tablet detergent — rinse aid selection
1–9 hour delay start with automatic initial prewash, 3.5 litres only
twin orbital wash systems, two full ceiling wash arms
6 collapsible dishracks — multi-loading options
77cm basket width — normal dishwasher 52cm
accommodates 70cm and 90cm oven racks and trays
38 dBA installed, fully loaded and operating
grey rilson baskets
triple hinging, spring loaded for safety
5-stage, self-cleaning filter
anti flood, TOTAL Acquastop: six stage checks
14 litre wash, 10 litre fast programs
annual energy consumption 231 kW





SA4510X-1

10 placesettings
freestanding/built-in
stainless steel door and control panel
5 wash programs
half load in top basket on four wash programs
separate cutlery basket
4 wash temperatures — 40°, 55°, 65°, 70° Celsius
3 rinse temperatures — ambient, 68°, 70° Celsius
2/1, 3/1, 4/1 tablet detergent — rinse aid selection
1–9 hour delay start with automatic initial prewash, 3.5 litres only
Shuttle® wash system
2 x graphic baskets — top basket tilts for larger plate placement below
residual heat hot air drying
5-stage water security
48 dBA noise level
13-litre water on ECO program

STA4648A

10 placesettings (IEC international)
fully-integrated into cabinetry
two wash arms — lower arm with shuttle system
four wash cycles
one exclusive rinse selection
3-hour, 6-hour, 9-hour selections
45°C, 55°C, 65°C and 70°C
rinses at ambient, 68°C and 70°C
top basket on four wash programs, separate cutlery basket
2 x graphite: top baskets tilts for larger plate placement below
cold or hot
residual heat hot air
53 dBAA sound pressure at main (wash) motor
38 dBA installed and operating
five-stage water security
48 dBA
13 litres on ECO program
wash/rinse motor 150 watt
drain pump 20 watt
heating element 2100 watt concealed
worktop/lid fitted — removable





DISHWASHERS

EXCLUSIVE TO COMMERCIAL CUSTOMERS

ST201XA

6 placesettings (IEC international)
stainless steel door and handle
built-in
carcase: 550mmW x 500mmD x 438mmH
door: 590mmW x 18mmD x 475mmH
seven programs — intensive, heavy, normal, rinse, glass, rapid, soak
electronic, LED display
delay start timer
residual heat hot air
adaptor hose supplied
two stage
25cm diameter plates maximum
two years parts and labour

EXCLUSIVE TO COMMERCIAL CUSTOMERS



ST201A

6 placesettings (IEC international)
fully integrated
countertop, freestanding or built-in
438mmH x 550mmW x 500mmD
six programs
electronic, LED display
residual heat hot air drying
adaptor hose supplied
two stage
25cm diameter plates
two years parts and labour


438
475
500
590
18


22
1.5m
power cord
15
925

smeg

BST30 undermount sink
21.6 litres capacity
designer plug & waste supplied

BST34 undermount sink
24.5 litres capacity
designer plug & waste supplied

BST45 undermount sink
32.4 litres capacity
designer plug & waste supplied







Accessories

DB30 drainer basket

DB34 drainer basket

DB45 drainer basket

TS30 chopping board

TS34 chopping board

TS45 chopping board

UM4530 undermount sink
main: 32.4 litres capacity
auxiliary: 21.6 litres capacity
designer plug & waste supplied
overflow — plumbing kit supplied



UM3434 undermount sink
24.3 litres capacity each bowl
designer plug & waste supplied
overflow — plumbing kit supplied



UM4545 undermount sink
32.4 litres capacity each bowl
designer plug & waste supplied
overflow — plumbing kit supplied



LE861A topmount sink
24 litre capacity

LE862A topmount sink
26 litre capacity each bowl



LE Series Accessories

DB34 drainer basket

DB45 drainer basket

LE116A topmount sink
24 litre capacity each bowl

LE102A topmount sink
main bowl: 24 litre capacity
auxiliary bowl: 10 litre capacity





TS34 chopping board

TS45 chopping board



TVSG glass
chopping board

TVN glass
chopping board



ST550C mixer tap
satin chrome finish
Italian ceramic cartridge
swivel spout
modern squareline



ST500SC mixer tap
satin chrome finish
Italian ceramic cartridge
swivel spout
modern squareline

5 YEAR WARRANTY ON CERAMIC CARTRIDGE

'COLORI AQUA'

ST120SC
satin chrome finish
pin handle
35mm ceramic cartridge
5-star water rating

blue light = cold (below 31°C)
white light = warm (31–43°C)
red light = hot (43–50°C)
flashing red light = very hot (over 50°C)



ALSO AVAILABLE IN CHROME FINISH, MODEL ST110C

ST100SC
gooseneck sink mixer tap
satin chrome finish
pin handle
35mm ceramic disk cartridge
5 star water rating / 6 lt per minute



ST90SC
satin chrome finish
solid handle
40mm ceramic cartridge
5-star water rating



ALSO AVAILABLE IN CHROME FINISH, MODEL ST90C

smeg
technology with style

Smeg Australia Pty Ltd

Sydney Head Office	02 8667 4888
Smeg Service	02 8667 4833
Smeg Spare Parts	02 8667 4875
Smeg Melbourne	03 9094 1999

Australia-wide distributors:

Newcastle	02 4960 9266
Wagga Wagga	02 6922 8600
Queensland	07 3266 0444
Tasmania	03 6334 8166
South Australia	08 8346 1888
Western Australia	08 9478 0466

www.smeg.com.au

Smeg Australia Pty Ltd is constantly seeking ways to improve the specifications, design and production of its products. Alterations take place continually. Whilst every effort is made to produce up-to-date literature, this brochure should not be regarded as an infallible guide to the current specifications, nor does it constitute an offer for the sale of any particular product. Product cutouts indicated in our literature are indicative only. Actual product only should be used to define cutout sizes. Distributors, agents and retailers are not agents of Smeg Australia and have no authority to bind Smeg Australia by any express or implied undertaking or representation.

WARNING: technical specifications and product sizes can be varied by the manufacturer without notice. Cutouts for appliances should only be by physical product measurements. The above information is indicative only.

www.smeg.com.au